

## STM11025D15

1 STRING MODULAR COMBINER BOX PV FUSE 15A + SURGE PROTECTOR I+II



<b>Code</b>	029STM11025D15
<b>EAN</b>	8430892334730
<b>Product description</b>	PV modular combiner box 1 string + fuseholder and fuse 15A gPV + switch-disconnector 25 A + surge protector class I+II maximum voltage 1000Vdc, for safe installations. Double insulation class II ABS+PC box suitable for outdoor use with high impact protection (IK08). Dimensions 231x238x118mm.

## Combiner box technical data

Voltage	1000 V DC
Surge protector	Tipo I+II
Incoming current rating	1x25A
No. of strings per tracker	1
Number of MPPT trackers	1
Fuse current	15 A
Maximum voltage (Uoc max)	1000 V
PV current (In)	25 A
Surge protector code	PST31APV
Surge protector type	I+II
Max. continuous operating voltage (Ucpv)	1200 VDC
Maximum impulse current (Iimp)	6.25 kA
Nominal discharge current (In)	15 kA
Maximum discharge current (Imax)	40 kA
Protection level at In (Up)	2,6 / 4,6 Kv
Ingress protection IP	IP65 - IEC 60529
Impact protection IK	IK08 - IEC 62262
Standards	IEC EN 6143-1/2

## Dimensions

Product height	231 mm
Product width	238 mm
Product length	118 mm

## Logistic data

Customs code	85371098
--------------	----------

## Dimensions

---

