

## STM210NSP15

2 STRING SURGE PROTECTION BOX FUSE 15A



<b>Code</b>	029STM210NSP15
<b>EAN</b>	8430892302593
<b>Product description</b>	PV surge protection box 1MPPT, 2string x mppt (2 input, 1 output) x fuseholder and fuse 15A gPV + surge protector class II maximum voltage 1000Vdc, for safe installations. Double insulation class II polycarbonate box suitable for outdoor use with high impact protection (IK08). Dimensions 231x238x118mm.

## Combiner box technical data

Surge protector	Class II
No. of strings per tracker	2
Number of MPPT trackers	1
Fuse current	15 A
Maximum voltage (Uoc max)	1000 V
Surge protector code	1 x PST31PV
Surge protector type	II
Max. continuous operating voltage (Ucpv)	1060 VDC
Nominal discharge current (In)	20 kA
Maximum discharge current (Imax)	40 kA
Protection level at In (Up)	3,6 kV
Ingress protection IP	IP65 - IEC 60529
Impact protection IK	IK08 - IEC 62262
Standards	IEC EN 6143-1/2


## Dimensions

Product height	231 mm
Product width	238 mm
Product length	120 mm
Product weight (kg)	1.66

## Logistic data

Customs code	85371098
--------------	----------

## Connection



**Dimensions**

---

